

Docket No.: CISCO-3701

AMENDMENTSRECEIVED
CENTRAL FAX CENTER

DEC 12 2006

IN THE CLAIMS:

What is claimed is:

1. (Currently amended) A method for providing an improved interface to a caller during the initiation of a VoIP call comprising:

placing, by the caller, a request for information regarding a party to be called;

returning a URL responsive to said request; and

displaying to said caller one or more connection options corresponding to said

URL;

selecting at least one of said one or more connection options;

providing said URL to a protocol server;

placing a call responsive to said at least one selected connection options by

entering a phone number;

routing the entered phone number to the protocol server; and

routing a session request corresponding to said one or more connection options

to the protocol server.

2. (Cancelled) The method of claim 1, further including the act of choosing, by said caller, at least one of said one or more connection options.

Docket No.: CISCO-3701

3. (Cancelled) The method of claim 2, further including the act of placing a call responsive to said one or more connection options chosen by said caller.
4. (Cancelled) The method of claim 1, wherein said act of placing, by the caller, a request for information regarding a party to be called further includes the act of entering a phone number into an originating phone.
5. (Cancelled) The method of claim 4, further including the act routing said entered phone number from said originating phone to a protocol server.
6. (Currently amended) The method of claim 5~~1~~, further including the act of routing said phone number from said protocol server to a mapping service.
7. (Original) The method of claim 1, wherein said act of returning a URL responsive to said request further includes the act of mapping, by a mapping service, said request to a URL.
8. (Cancelled) The method of claim 7, further including the act of providing said URL to a protocol server.
9. (Currently amended) The method of claim 8~~1~~, further including the act of providing said URL by said protocol server to an originating phone.
10. (Original) The method of claim 1, wherein said act of displaying to said caller one or more connection options corresponding to said URL further includes the act of accessing said URL through a protocol server.

Docket No.: CISCO-3701

11. (Original) The method of claim 1, wherein said act of displaying to said caller one or more connection options corresponding to said URL further includes the act of accessing a web page corresponding to said URL.
12. (Currently amended) The method of claim ~~2~~1, wherein said one or more connection options are encoded using SIP.
13. (Currently amended) The method of claim ~~2~~1, wherein said one or more connection options correspond to a user's identity.
14. (Currently amended) The method of claim ~~2~~1, wherein said one or more connection options correspond to a user's phone number.
15. (Currently amended) The method of claim ~~2~~1, wherein said one or more connection options correspond to a user's location.
16. (Currently amended) The method of claim ~~2~~1, wherein said one or more connection options correspond to a user's schedule.
17. (Currently amended) The method of claim ~~2~~1, wherein said one or more connection options are modified by group scheduling software to correspond to a particular user's schedule.
18. (Cancelled) The method of claim 3, wherein the act of placing a call responsive to said one or more connection options chosen by said caller further includes the act of routing a session request corresponding to said connection option to a protocol server.

Docket No.: CISCO-3701

19. (Currently amended) The method of claim 18, further including the act of routing said session request by said protocol server to a mapping service.
20. (Currently amended) The method of claim 31, further including the act of executing said selected connection option.
21. (Original) The method of claim 20, further including the act of returning an appropriate phone number to said caller by a protocol server.
22. (Original) The method of claim 21, further including the act of initiating a call by said protocol server, said call corresponding to said selected connection option.
23. (Currently amended) A device for providing an improved interface to a caller during the initiation of a VoIP call comprising:

means for placing, by the caller, a request for information regarding a party to be called;

means for returning a URL responsive to said request; and

means for displaying to said caller one or more connection options corresponding to said URL;

means for selecting at least one of said one or more connection options;

means for providing said URL to a protocol server;

Docket No.: CISCO-3701

means for placing a call responsive to said at least one selected connection

options by entering a phone number;

means for routing the entered phone number to the protocol server; and

means for routing a session request corresponding to said one or more

connection options to the protocol server.

24. (Cancelled) The device of claim 23, further including means for choosing, by said caller, at least one of said one or more connection options.
25. (Cancelled) The device of claim 24, further including means for placing a call responsive to said one or more connection options chosen by said caller.
26. (Cancelled) The device of claim 23, wherein said means for placing, by the caller, a request for information regarding a party to be called further includes means for entering a phone number into an originating phone.
27. (Cancelled) The device of claim 26, further including means for routing said entered phone number from said originating phone to a protocol server.
28. (Currently amended) The device of claim 27, further including means for routing said phone number from said protocol server to a mapping service.
29. (Original) The device of claim 23, further including means for mapping, by a mapping service, said request to a URL.

Docket No.: CISCO-3701

30. (Cancelled) The device of claim 29, further including means for providing said URL to a protocol server.
31. (Currently amended) The device of claim ~~30~~23, further including means for providing said URL by said protocol server to an originating phone.
32. (Currently amended) The device of claim 23, further including means for accessing said URL through ~~a~~the protocol server.
33. (Original) The device of claim 23, further includes means for accessing a web page corresponding to said URL.
34. (Currently amended) The device of claim ~~23~~24, wherein said one or more connection options are encoded using SIP.
35. (Currently amended) The device of claim ~~23~~24, wherein said one or more connection options correspond to a user's identity.
36. (Currently amended) The device of claim ~~23~~24, wherein said one or more connection options correspond to a user's phone number.
37. (Currently amended) The device of claim ~~23~~24, wherein said one or more connection options correspond to a user's location.
38. (Currently amended) The device of claim ~~23~~24, wherein said one or more connection options correspond to a user's schedule.

Docket No.: CISCO-3701

39. (Currently amended) The device of claim 2324, wherein said one or more connection options are modified by group scheduling software to correspond to a particular user's schedule.
40. (Cancelled) The device of claim 25, further including means for routing a session request corresponding to said connection option to a protocol server.
41. (Currently amended) The device of claim 2340, further including the act of routing said session request by said protocol server to a mapping service.
42. (Currently amended) The device of claim 2325, further including means for executing said selected connection option.
43. (Original) The device of claim 42, further including means for returning an appropriate phone number to said caller by a protocol server.
44. (Original) The device of claim 43, further including means for a call by said protocol server, said call corresponding to said selected connection option.
45. (Currently amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for providing an improved VoIP call initiation interface, said method comprising:

placing, by the caller, a request for information regarding a party to be called;

returning a URL responsive to said request; and

Docket No.: CISCO-3701

displaying to said caller one or more connection options corresponding to said

URL;

selecting at least one of said one or more connection options;

providing said URL to a protocol server;

placing a call responsive to said at least one selected connection options by

entering a phone number;

routing the entered phone number to the protocol server; and

routing a session request corresponding to said one or more connection options

to the protocol server.

46. (Cancelled) The device of claim 45, further including the act of choosing, by said caller, at least one of said one or more connection options.
47. (Cancelled) The device of claim 46, further including the act of placing a call responsive to said one or more connection options chosen by said caller.
48. (Cancelled) The device of claim 45, wherein said act of placing, by the caller, a request for information regarding a party to be called further includes the act of entering a phone number into an originating phone.

Docket No.: CISCO-3701

49. (Cancelled) The device of claim 48, further including the act routing said entered phone number from said originating phone to a protocol server.
50. (Currently amended) The device of claim ~~49~~5, further including the act of routing said phone number from said protocol server to a mapping service.
51. (Original) The device of claim 45, wherein said act of returning a URL responsive to said request further includes the act of mapping, by a mapping service, said request to a URL.
52. (Cancelled) The device of claim 51, further including the act of providing said URL to a protocol server.
53. (Currently amended) The device of claim ~~45~~52, further including the act of providing said URL by said protocol server to an originating phone.
54. (Original) The device of claim 45, wherein said act of displaying to said caller one or more connection options corresponding to said URL further includes the act of accessing said URL through a protocol server.
55. (Original) The device of claim 45, wherein said act of displaying to said caller one or more connection options corresponding to said URL further includes the act of accessing a web page corresponding to said URL.
56. (Currently amended) The device of claim ~~45~~46, wherein said one or more connection options are encoded using SIP.

Docket No.: CISCO-3701

57. (Currently amended) The device of claim 4546, wherein said one or more connection options correspond to a user's identity.
58. (Currently amended) The device of claim 4546, wherein said one or more connection options correspond to a user's phone number.
59. (Currently amended) The device of claim 4546, wherein said one or more connection options correspond to a user's location.
60. (Currently amended) The device of claim 4546, wherein said one or more connection options correspond to a user's schedule.
61. (Currently amended) The device of claim 4546, wherein said one or more connection options are modified by group scheduling software to correspond to a particular user's schedule.
62. (Currently amended) The device of claim 4547, wherein the act of placing a call responsive to said one or more connection options chosen by said caller further includes the act of routing a session request corresponding to said connection option to a protocol server.
63. (Original) The device of claim 62, further including the act of routing said session request by said protocol server to a mapping service.
64. (Currently amended) The device of claim 4547, further including the act of executing said selected connection option.

Docket No.: CISCO-3701

65. (Original) The device of claim 64, further including the act of returning an appropriate phone number to said caller by a protocol server.
66. (Original) The device of claim 65, further including the act of initiating a call by said protocol server, said call corresponding to said selected connection option.
67. (Cancelled) An apparatus for providing an improved interface to a caller during the initiation of a VoIP call comprising: a web phone configured to receive a request from a caller for information regarding a party to be called and providing one or more connection options corresponding to said request.
68. (Cancelled) The apparatus of claim 67, wherein said webphone is configured to allow said caller to choose at least one of said one or more connection options.
69. (Cancelled) The apparatus of claim 68, wherein said webphone is configured to place a call responsive to said one or more connection options chosen by said caller.
70. (Cancelled) The apparatus of claim 67, wherein said webphone is configured to receive a URL responsive to said request.
71. (Cancelled) The apparatus of claim 70, wherein said webphone is configured to provide said caller one or more connection options corresponding to said URL.
72. (Cancelled) The apparatus of claim 67, wherein said webphone is configured to allow a calling party to enter a phone number into an originating phone.

Docket No.: CISCO-3701

73. (Cancelled) The apparatus of claim 72, wherein said webphone is configured to route said entered phone number from said originating phone to a protocol server.
74. (Cancelled) The apparatus of claim 67, wherein said webphone is configured to access said URL through a protocol server.
75. (Cancelled) The apparatus of claim 74, wherein said webphone is configured to access a web page corresponding to said URL.
76. (Cancelled) The apparatus of claim 75, wherein said webphone is configured to execute said one or more connection options using SIP.
77. (Cancelled) An apparatus for providing an improved interface to a caller during the initiation of a VoIP call comprising: a system configured to receive a request placed by a caller for information regarding a party to be called; returning a URL responsive to said request; and providing to said caller one or more connection options corresponding to said URL.
78. (Cancelled) The apparatus of claim 77, wherein said apparatus further includes a protocol server configured to receive said entered phone number from said originating phone.
79. (Cancelled) The apparatus of claim 78, wherein said apparatus is further configured to route said phone number from said protocol server to a mapping service.

Docket No.: CISCO-3701

80. (Cancelled) The apparatus of claim 77, wherein said apparatus is further configured to return a URL responsive to said request.
81. (Cancelled) The apparatus of claim 80, wherein said apparatus is further configured to map said request to a URL.
82. (Cancelled) The apparatus of claim 81, wherein said apparatus is further configured to provide said URL to a protocol server.
83. (Cancelled) The apparatus of claim 82, wherein said apparatus is further configured to provide said URL to said originating phone.
84. (Cancelled) The apparatus of claim 77, wherein said apparatus is further configured to place a call responsive to said one or more connection options chosen by said caller by routing a session request corresponding to said connection option to a protocol server.
85. (Cancelled) The apparatus of claim 84, wherein said apparatus is further configured to route said session request by said protocol server to a mapping service.
86. (Cancelled) The apparatus of claim 77, wherein said apparatus is further configured to return an appropriate phone number to said caller by a protocol server.
87. (Cancelled) The apparatus of claim 77, wherein said apparatus is further configured to initiate a call by said protocol server, said call corresponding to said

Docket No.: CISCO-3701.

selected connection option.